

STORM DOORS



home

[we make front doors better]



[www.LARSONdoors.com](http://www.LARSONdoors.com)



## Storm Doors for Every Home

LARSON® storm doors are available in styles and ventilating options to complement your home. Choose from Screen Away® retractable screens that disappear when not in use or convenient built-in screen options.

## Consider Low-E

Select storm doors can be upgraded to Low-E glass. Factory-coated Low-E glass minimizes the amount of UV rays that pass through to help reduce fading. Plus, Low-E delivers exceptional energy efficiency and can increase the insulating value of an entry by 24% compared to clear glass.\*

## The Low-E Advantage



Helps keep rooms warmer in the winter by minimizing heat loss.



Helps keep rooms cooler in the summer by reflecting the sun's heat.



U.S. Department of Energy recommends Low-E to improve energy efficiency.



**Our doors protect what matters, creating that great space where your family feels safe, comfortable and protected.**

## Protection

Storm doors help protect your entry door and provide an additional layer of security between your home and unwelcome guests.

## Installation

LARSON storm doors are available with two installation methods that require no cutting.

- EasyHang® includes one-step hanging with pre-drilled placement holes and adjustable height for an exact fit.
- The Platinum Collection is pre-assembled for easy installation. Out of box and on your home in minutes.

## Learn more

Visit us at [larsondoors.com](http://larsondoors.com) for a comprehensive list of products available to make your home more comfortable.

# Platinum Collection

## Stylish protection for your home.

The modern design of the Platinum series is both innovative and attractive. The Platinum Collection offers a one-of-a-kind blend of technology and luxury with added security features and improved operation including a multi-point locking system and a built-in hidden closer. Backed by a Limited Lifetime warranty.



White Linen

Graphite

Woodland

Black

Pebblestone



## The fast install.

No experience necessary with our pre-assembled doors. Simply add your QuickFit handleset, place frame on the opening, and secure in minutes.\* Relax, you got this!



**Platinum IFG**  
Interchangeable  
Full Glass

459-FVE\* 459FV



**Platinum RS**  
Retractable  
Screen

456-FVE\* 456FV



**Platinum SG**  
Secure Glass

449-04



**Platinum SCR**  
Secure Screen



450-18

Platinum IFG	Includes screen for seasonal venting.
Platinum RS	Screen Away® hides in top cassette when not in use.
Platinum SG	Inner shield between two glass panels to help prevent break-ins. Includes Break-In Protection Warranty.
Platinum SCR	Dominator™ .032" stainless steel mesh is tested to withstand 1,000 lbs. of force to help prevent break-ins.** Includes Break-In Protection Warranty.

### Finish your door.

QuickFit™ Handleset **sold separately and required** to operate built-in deadbolt on Platinum Collection doors.



<b>Platinum Collection</b>	<b>Sizes</b>	 Left-Hinge (Right-Hand) Outswing  Right-Hinge (Left-Hand) Outswing	<b>Pre-assembled:</b> Specify Left-Hinge or Right-Hinge as viewed from outside.
	<b>32" x 81"</b> <b>36" x 81"</b> <b>Custom Sizes Available</b>		

\* 459FVE, 456FVE feature Low-E glass for improved insulation and less fading.

\*\* Stainless steel wire mesh tested to withstand 1,000 lbs. per lineal in. of force.

Note: See your LARSON seller or visit [larsondoors.com](http://larsondoors.com) for details on limited warranties and exclusions.

# Full Glass Storm Doors

## Seasonal Venting

Protect your entry beautifully. Our Elegant Selection storm doors help frame your opening. Let the light in and enjoy the view.



White

Almond

Sandstone

Brown

Black



### Ventilation

Window and screen interchange for seasonal venting.



### Convenience

Two closers with hold-open button keeps the door open.



### Finish

Installation screw covers conceal exterior screws.



**Fullview with screen**

149FVE\* 149FV



**Built-in Pet Door**

149PV  
Screen not available.



**Bevel with screen**

149BV




**Elegant Bevel with screen**

149EBV




**Durability**

Premium frame construction with 1-5/8" thick aluminum.



**Protection**

Overlapping frame and two closers provide a tight seal.



**Universal Hinge**

For right or left mount.

**Finish your door.**

QuickFit™ Handleset **sold separately and required** to operate built-in deadbolt on Elegant Selection doors.



**QuickFit™**  
HANDLE SET



Matte Black



Brushed Nickel



Aged Bronze



Brushed Nickel



Aged Bronze



Antique Brass



Brass

Straight Handle

Curved Handle

Elegant Selection	Size	Special Standard	Custom
149FVE Low-E	32" x 81" 36" x 81"		✓
149FV Clear		30" x 81" 34" x 81" White	✓
149PV Pet Door			
149BV Bevel Glass			
149EBV Elegant Bevel	36" x 81"		

\* 149FVE feature Low-E glass for improved insulation and less fading.

Note: Color availability varies by model.

# Retractable Screen Storm Doors

Enjoy it all!

Easy Vent® Selection storm doors feature Screen Away® technology for both venting and clear views.



White


Almond

Sandstone

Brown

Black

Graphite



### Ventilation

Convenient retractable screen provides anytime venting.



### Convenience

Two closers with hold-open button keeps the door open.



### Finish

Installation screw covers conceal exterior screws.





**Fullview with screen**  
146FVE\*  
146FV

**Midview**  
146MV


**Bevel Glass**  
146BV

**Highview**  
146HV


**Built-in Pet Door**  
146PV



**Durability**  
Premium frame construction with 1-7/8" thick aluminum.




**Protection**  
Overlapping frame and two closers provide a tight seal.



**Universal Hinge**  
For right or left mount.

### Finish your door.

QuickFit™ Handleset **sold separately and required** to operate built-in deadbolt on Easy Vent Selection doors.



**QuickFit™**  
HANDLE SET



Matte Black



Brushed Nickel



Aged Bronze

Straight Handle



Brushed Nickel



Aged Bronze



Antique Brass



Brass

Curved Handle

Easy Vent® Selection	Size	Special Standard	Custom
146FVE Low-E	32" x 81" 36" x 81"	34" x 81" White	✓
146FV Clear		30" x 81" White 34" x 81" White, Sandstone	✓
146MV Midview		34" x 81" White, Sandstone	
146PV Pet Door			
146HV Highview			
146BV Bevel Glass		36" x 81"	

\* 146FVE feature Low-E glass for improved insulation and less fading.

Note: Color availability varies by model.

# Pet Friendly Storm Doors

## Your pet door headquarters!

Adding a pet door just got easier. The pet friendly selection of storm doors feature a factory-installed pet door. The inside security panel helps keep intruders out.



White

Almond

Sandstone

Brown

Black

Pet Doors	Size	Custom	Colors
Fullview 149PV	32" x 81" 36" x 81"		All colors
Retractable Screen 146PV			
Pet View 360-79			White, Brown
Pet Breeze 360-49			
Pet Door 370-79		✓	White, Almond
Pet Door XL 370-78		✓	



**Universal Hinge**  
For right or left mount.




**Elegant Selection  
Fullview  
Pet Door 149PV**  
8W x 12H Opening  
Fits pets up to 40 lbs.  
Handle sold separately.  
Screen not available.




**Easy Vent® Selection  
Retractable Screen  
Pet Door 146PV**  
8W x 12H Opening  
Fits pets up to 40 lbs.  
Handle sold separately.



**Pet View  
All-Metal  
Pet Door 360-79**  
10W x 17H Opening  
Fits pets up to 100 lbs.



**Pet Breeze  
All Metal  
Screen Door 360-49**  
10W x 17H Opening  
Fits pets up to 100 lbs.



**Wood Core  
Pet Door 370-79**  
10W x 17H Opening  
Fits pets up to 100 lbs.

**Wood Core  
Pet Door XL 370-78**  
14W x 23H Opening  
Fits pets up to 220 lbs.

# Full Glass Storm Doors

## Expansive Views

Bring natural light into your home and let kids and pets see out. Includes interchangeable screen for seasonal venting.



Brushed Nickel

Brass


White

Almond

Sandstone

Brown

Black



### Universal Hinge

For right or left mount.

Model	Size	Custom
350-17 Brushed Nickel	32" x 81"	✓
350-04 Brass	36" x 81"	



# Retractable Screen Storm Doors

## Durable Aluminum Frame

1-3/8" thick frame is low maintenance and includes heavy-duty weatherstrip. Designer screw covers conceal exterior screws (356 series).



White

Almond

Sandstone

Brown

Model	Size	Custom	Colors
<b>830-82 Brushed Nickel</b>	32" x 81" 34" x 81" 36" x 81"	✓	White, Almond, Sandstone, Brown
<b>830-85 Aged Bronze</b>			
<b>830-80 Brass</b>			
<b>691-52 Brushed Nickel</b>	32" x 81" 36" x 81"	✓	White, Sandstone, Brown
<b>691-55 Aged Bronze</b>			
<b>691-90 Brass</b>			
<b>370-81 Color-Match Lever</b>	30" x 81" 32" x 81" 36" x 81"		White, Almond
<b>356-52 Brushed Nickel</b>	32" x 81" 36" x 81"		White
<b>356-60 Brass</b>			

\* 691 doors feature keyed lock.

# The Convenience of Screen Away®

Our top performing wood core retractable screen storm doors include features like a magnetic weatherstrip for a tight seal (830, 691 series).




<b>Midview</b>	<b>Highview*</b>
830-82	691-52
830-85	691-55
830-80	691-90



**Midview**  
370-81



**Fullview**  
356-52  
356-60



**Universal Hinge**  
For right or left mount.

# Venting Storm Doors

## Top or Bottom Venting


Storm doors at a great value with Reversa Screen for convenient top or bottom venting.



White

Brown

Model	Size
360-18	32" x 81"
	36" x 81"
360-16	30" x 81"
	32" x 81"
370-50	34" x 81"*
	36" x 81"



**Universal Hinge**  
For right or left mount.

\* 34" widths: 360-16 white only.



## All-Metal Frame

1-1/4" thick frame is low-maintenance and features a rigid kick panel to stand up to daily wear and tear.



360-18  
Lever Handle



360-16  
Lever Handle

## Wood Core

DuraTech® surface over solid wood core for age and weather resistance. WearTuff® screen is tear-resistant.




370-50  
Strong hold handle

# Venting Storm Doors



## Built to Perform

These insulating storm doors feature a solid core with weather-resistant DuraTech® durable aluminum or vinyl surfaces.



271-TT  
Multi-Vent  
DuraTech



830-46  
Multi-Vent  
DuraTech



278-SS  
Single-Vent  
DuraTech

White	Almond	Sandstone	Brown
-------	--------	-----------	-------

Model	Size	Special Standard	Custom	Color
271-TT Multi-Vent	32" x 81" 36" x 81"		✓	White
830-46 Multi-Vent				White, Brown
278-SS DuraTech		30" x 81" 34" x 81" 32" x 85" 36" x 85" White only	✓	White, Almond, Sandstone, Brown

\* 380-05 additional sizes available.



## Maximum Air Movement

Choose from two traditional venting options: Multi-vent full screen or Single-vent bottom screen.



288-SS Aluminum  
Single-Vent



298-SS Vinyl  
Single-Vent




283-ST Aluminum  
Single-Vent



293-ST Vinyl  
Single-Vent



380-05 Mobile Home  
Single-Vent  
DuraTech



**Universal Hinge**  
For right or left mount.


White

Brown

Model	Size	Special Standard	Color
288-SS Aluminum	32" x 81" 36" x 81"	30" x 81" 34" x 81"	White, Brown
298-SS Vinyl		30" x 81" 34" x 81"	White
283-ST Aluminum			White, Brown
293-ST Vinyl			White
380-05* Mobile Home Door	32" x 75" 30" x 75"		White

## 360-48 Screen Door for Maximum Venting

This durable frame and WearTuff® screen are built to withstand forceful impacts, and includes handle, closer, and hinges.




Screen Mesh

**WEARTUFF®**

Durable mesh screen holds up to wear and tear.




### Screen Upgrades



**SUNTEX® 80**

Shading fabric in three colors.




**PetScreen®**

Strong, vinyl-coated polyester mesh.



**No-See-Um**

Tight mesh.



**Universal Hinge**

For right or left mount.

White

Brown

Model	Size	Custom	Color
360-48 Screen Door	32" x 81" 36" x 81"	✓	White, Brown





# Measuring Storm Doors

## Easy Measuring

One great feature of LARSON® storm doors is that they can be easily installed by homeowners, saving you money on professional installation. Use the diagram below to record your measurements as shown. If the width measurements vary, use the smallest measurement.

Remember, LARSON offers custom sizes to fit a wide range of openings.



A	WIDTH
B	WIDTH
C	WIDTH
D	HEIGHT

Door Sizes	Min-Max Doorway Width	Min-Max Doorway Height
30" x 81"	29 7/8" to 30 3/8"	80" to 81"
32" x 81"	31 7/8" to 32 3/8"	
34" x 81"	33 7/8" to 34 3/8"	
36" x 81"	35 7/8" to 36 3/8"	




Size availability varies by model.  
Custom sizes available in select models.



## Surface Mount (Platinum Collection only)

- Rails mount directly to the face of the exterior brickmold.
- Requires a 3/4" wide mounting surface.




Note: Construction styles may vary.



## Recess Mount

- Rails mount inside the opening.
- Requires a 1" wide by 1" deep mounting surface.



Note: Construction styles may vary.



**Habitat**  
for Humanity®

Proud partner and supporter  
of Habitat for Humanity.

LARSON reserves the right to alter or discontinue any model, specification, warranty or price without notice. Product finish colors are approximate; actual finish colors may vary.

©2023 Larson Manufacturing Company. All rights reserved. LARSON and the Larson logo are trademarks of Larson Manufacturing Company. Registered trademarks are registered in the U.S. and may be registered internationally. Larson Manufacturing Company is an operating company of Fortune Brands Innovations, Inc. All trademarks are property of their respective owners. 09502100 Rev 03/23